



<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revizion: 1
		Page: 1 of 10

## 1. Identification of the mixture and of the company/undertaking

### 1.1 Product identifier:

#### **Hexol SPRINT 10W40**

### 1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: engine oil. Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

S.C. HEXOL LUBE S.R.L.

Adress: comuna. Paleu, str. Ardealului 1A, județ Bihor

Phone/Fax: 0259 449203/428299

### 1.4 Emergency telephone number

Phone: 0259-454216; 0259-449203; 8-16h on workdays.

## 2. Hazards identification

### 2.1 Classification of the mixture

#### 2.1.1 Classification of the mixture according to regulation 1272/2008/EC

Hazard Class and Category: Hazard statement: Not classified.

#### 2.1.2 Classification of the substance according to regulation 1999/45/EC

Human health hazards: Danger symbol not required.

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity (See also Protective equipment).

Safety hazards: Danger symbol not required.

Environmental hazards: Danger symbol not required.


Note: Spills may form a film on water surfaces causing impaired oxygen transfer.

### 2.2 Label elements 1272/2008/EC

Product identification: Trade name: **Hexol SPRINT 10W40**

GHS Pictogram: not required

Signal word: not required





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revision: 1
		Page: 2 of 10

Hazard statement: not required

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:

Not required.

Transport classification: see section 14

2.3 Other hazards no data available

3. Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EINECS number	Cas number	Hazard symbol/ Hazard classes and cat.	Risk phrase / Hazard statements	Conc. % (m/m)
Lubricating oils (petroleum), C>25* REACH registration No. 01- 21194886948-13	309-874- 0	101316-69- 2	--	--	Max. 99.5
Phosphorodithioic acid, mixed O,O- bis(1,3- dimethylbutyl and iso-Pr)esters, zinc salts REACH registration No. 01-2119493626- 26	283-392- 8	84605-29-8		H318 H315 H411	Max. 1

\*: with exposure limit

The full text of each relevant R-, H- phrase and Hazard classes and cat. see in Section 16.



<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revizion: 1
		Page: 3 of 10

#### 4. First aid measures

##### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or **never induce vomiting.**

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed **No data available.**

4.3 Indication of any immediate medical attention and special treatment need **Not required.**

#### 5. Fire-fighting measures

Fire hazards:

See also Section 9 - flash point.

5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder. Unsuitable extinguishing media: water jet

##### 5.2 Special hazards arising from the mixture


Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

##### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revizion: 1
		Page: 4 of 10

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority

### 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8. Waste treatment methods: see section 13.

## 7. Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists. Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product. Handling temperature: not known

### 7.2 Conditions for safe storage, including any incompatibilities



HEXOL LUBE SRL	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revision: 1
		Page: 5 of 10

Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, well ventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: max. 40°C

7.3 Specific end use(s)  
engine oil.

8. Exposure controls / personal protection  
Engineering control measures:  
Not required.

8.1 Control parameters:  
***Mineral oil mist:***

TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>,  
for oil mist, vapour  
excluded (ACGIH).  
Method of testing, recommended:  
NIOSH 5026

8.2 Exposure controls  
Personal protection:  
Respiratory protection:  
Hand protection:

Breathing apparatus not required.  
Oil resistant gloves (EN 374,  
Breakthrough time 480 min)  
(e.g. nitrile rubber - minimal  
thickness 0.33 mm).  
Note: Manufacturer's directions for  
use and the conditions of  
application should be observed.  
Tightly fitting safety goggles.  
Protective clothing (oil resistant).  
no data

Eye protection:  
Skin protection:  
Other special:  
Environmental exposure controls:  
Do not discharge into drains/surface  
waters/groundwater.

9. Physical and chemical properties  
9.1 Information on basic physical and  
chemical properties

Appearance:

Physical state:  
Colour:  
Odour:

liquid  
yellow, clear  
characteristic





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revision: 1
		Page: 6 of 10

Change in physical state:

Pour point (ISO 3016): typ. -30°C  
Boiling point: not available

Others:

Flash point (COC) (EN ISO 2592): typ. 200°C  
Ignition point (EN ISO 2592): not available  
Autoignition temperature: not available  
Explosive properties: not explosive  
Oxidizing properties: not oxidize  
Vapour pressure at 20°C: negligible  
Density at 15°C (EN ISO 12185): Typ. 0.874 g/cm<sup>3</sup>  
Solubility in water: practically insoluble in water  
Solubility in other solvents: gasoline, kerosene, toluene, etc.  
n-Octanol/water partition coefficient: not available  
Vapour density: not available  
Heating value: inf. 38 000 kJ/kg  
Kinematic viscosity at 40°C (EN ISO 3104): Typ. 45.2 mm<sup>2</sup>/s

9.2 Other information no data available

10. Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral: LD<sub>50</sub> (rat) > 2000 mg/kg (based on components)

Dermal: LD<sub>50</sub> (rabbit) > 2000 mg/kg (based on components)

Acute toxicity: irritation

Skin: not irritant (based on components)





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revision: 1
		Page: 7 of 10

Eye: not irritant (based on components), causes serious eye irritation

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

cell mutagenicity: Carcinogenicity:

Reproductive toxicity:

STOT-single exposure: STOT-repeated exposure: Aspiration hazard: not known, resp. not mutagen (based on components) not known, resp. not carcinogen (based on components)

not known, resp. no reproduction-damaging effect (based on components)

not known not known not known

## 12. Ecological information


12.1	Toxicity	Aquatic organisms: Soil organisms: Plants:	No data for the product.
12.2	Persistence and degradability		No data available.
	Biodegradability:		No data available.
12.3	Bioaccumulative potential		No data available.
12.4	Mobility		
	Mobility in soil		Absorbs in soil.
	Mobility in water:		Floats on water.





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revision: 1
		Page: 8 of 10

- 12.5 Results of PBT and vPvB assessment Not required.
- 12.6 Other adverse effects
- Heavy metal content: None.
- PCT, PCB and other chlorinated hydrocarbons: None.
- Environmental effects: Spills may form a film on watersurfacescausing impaired oxygen transfer.
- Water hazard class (German):
13. Disposal considerations
- 13.1 Waste treatment methods
- Product disposal:
- Wastes of the product or used oil should be treated as hazardous waste. EWC cod: 13 02 05\*
- Mineral-based non-chlorinated engine, gear and lubricating oils. Disposal must be in compliance with national and local regulations. Recommended waste treatment method: incineration
- Packaging disposal:
- Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.
- EWC cod: 15 01 10\*
- Packaging containing residues of or contaminated by dangerous substances. Disposal must be in compliance with national and local regulations.
- Wastewater:
- Quality of wastewater emitted to natural water must comply with national and local regulations.
- Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.
14. Transport information
- Land transport:
- Road/ Railway ADR/RID: Not classified.
- Waterways:







<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revizion: 1
		Page: 9 of 10

Inland waterways/ Sea transport ADN/IMDG: Not classified.  
Air transport: ICAO / IATA:Not classified.

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation 1907/2006/EC (mod. 453/2010/EC) and 1272/2008/EC.

### 15.2 Chemical safety assessment.

not available

## 16. Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components


Romanian and EU lists of dangerous substances

Relevant Romanian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

*The full text of each relevant R-, H- phrase and Hazard classes and cat. in Section 3.:*





<b>HEXOL LUBE SRL</b>	<b>MATERIAL SAFETY DATA SHEET</b> <b>According to regulation</b> <b>1272/2008/EC</b> <b>Hexol SPRINT 10W40</b>	Date: 29.05.2015
		Edition: 1
		Revizion: 1
		Page: 10 of 10

R 36/38 Irritating to eyes and skin.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Asp.Tox.1 Aspiration hazard Category 1

Skin Irrit. Skin corrosion/irritation Category 2

Eye Irrit. 2 Serious eye damage/eye irritation Category 2

Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2

