

1.Identification of the mixture and of the company/undertaking

- 1.1 Product identifier: Hexol Starlight Lichid de Parbriz de Iarnă Concentrat
- 1.2 Relevant identified uses of the mixture and uses advised against Relevant identified uses: Concentrate windshield washer fluid. Restrictions on use: any other uses not recommended are forbidden.
- 1.3 Details of the supplier of the safety data sheet:
 S.C. HEXOL LUBE S.R.L.
 Adress: Paleu commune, Ardealului street, no. 1A, Bihor county Phone/Fax: +4 0259 449 203/+4 0259 428 299
 E-mail: office@hexol.com
- 1.4 Emergency telephone number Phone: +4 0259 454 216; +4 0259 449 203; 8-16h on workdays.

2. Hazards' identification

- 2.1 Classification of the mixture
 - Classification of the mixture according to Regulation 1272/2008/EC Not required.
- 2.2 Label elements: Labelling according to Regulation 1272/2008/EC

Product identification: Trade name: Hexol Starlight Lichid de Parbriz de Iarnă Concentrat

GHS Pictogram:



GHS06

Hazard statement:

- H 331: Toxic if inhaled.
- H 373: May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P405: Store locked up.

2.3 Other hazards:

Hazard description: If usual precautions are taken when handling products, the instructions for handling (Chapter 7) and personal protection (Chapter 8) are respected, there are no known hazards.

3. Composition/information on ingredients

3.2 Mixtures

Name	EINECS No.	Cas No.	REACH No.	Hazard statements	Conc. %
Metanol	200-659-6	64-56-1	01-2119433307- 44-0014	H225, H301, H311, H331, H370	Max. 35

*: with exposure limit

For full text of each relevant R-, H- phrase and Hazard classes and cat. see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice: Remove victim from exposure site. Ensure that the person has fresh air. Lay person in lateral, stable position and keep warm. In case of irregular breathing or respiratory arrest





MATERIAL SAFETY DATA SHEET
According to 1907/2006 (REACH), 2020/878 (EU)Date:26Edition:1Hexol Starlight Lichid de Parbriz de
larnă ConcentratRevision:2Page:2

apply artificial respiration.

HEXOL LUBE SRL

First aid responders must avoid exposure. Proper respiratory protection will be used. In case of respiratory arrest mechanical ventilation should be provided. Do not use mouth to mouth resuscitation. Remove all contaminated clothing immediately.

Inhalation: In case of accident by inhalation, transport the victim out of the contaminated area and leave to rest. If symptoms persist, seek medical advice.

Skin contact: Remove contaminated clothing and wash the skin thoroughly with soap and water. If symptoms persist, seek medical advice.

Eye contact: Wash thoroughly with water for at least 10 minutes. If symptoms persist, seek medical advice.

After ingestion: An unconscious person should never be forced to swallow. Vomiting will not be induced. Seek medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed Inhalation or swallowing of material may have narcotic effects, which may cause losing consciousness.
- 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, immediate medical attention is required: 2 hours, gastrolavage, etc.

5. Fire-fighting measures

5.1 Fire extinguishing equipment

Suitable fire-extinguishing equipment: Use alcohol resistant foam, carbon dioxide, dry powder, water and sand dispersants.

Unsuitable extinguishing media: No data.

5.2 Special hazards arising from the mixture

Hazardous combustion products: in case of fires carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Recommendations for firefighters

In case of fires self-contained breathing apparatus will be used. Special protective equipment: According to the existing firefighting regulations.

Further information:

Cool containers and surroundings exposed to fire with water spray.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep away people without protective equipment or untrained people. Avoid contact with skin and eyes. Avoid breathing vapours or spray mist. Wear respiratory protective equipment.

Personal precautions: see Section 8.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil. In case of environmental release notify relevant authority.

6.3 Methods and material for fire containment and cleaning up

On soil: Eliminate all ignition sources. Collect spillage. Contain the rest or small quantities using absorbent materials: sand, earth or other suitable absorbents. Dispose of materials and solid residues according to local regulations.

In water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8. Waste treatment methods: see section 13.

HEXO



7. Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals and flammable liquids. Adequate ventilation required.

Protective measures: wear personal protective equipment. Avoid contact with skin and eyes. In case vapours and mist is formed respiratory equipment with a suitable filter will be used. Do not spill the product.

Hygiene measures: Smoking, eating and drinking are prohibited in the area where the product is used. Wash hands before breaks and at the end of the work schedule. Wear oil resistant footwear and protective gloves. Wash contaminated clothing with soap and water.

Fire prevention measures: Keep away from heat and other sources of ignition.

- 7.2 Conditions for safe storage, including any incompatibilities Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, wellventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: Stable if kept between -13°C - +40°C.
- 7.3 Specific end use(s)

Recommendations: Concentrate windshield washer fluid.

8. Exposure controls / personal protection

Engineering control measures: Not required.

- 8.1 Control parameters:
- DNEL: End use: Consumer

Route of Exposure: Inhalation Potential health effects: Long-term

Value: 260 mg/m³

- DNEL: End use: Consumer Route of Exposure: Skin Value: 40 mg/m³
- PNEC: Fresh Water

Value: 154mg/l

PNEC: Saltwater

Value: 15.4 mg/l

PNEC: Sediment freshwater

Value: 570.4 mg/kg

PNEC: Soil

Value: 23.5 mg/kg

8.2 Exposure controls

Technical measures: see protection measures - Paragraph 7

Personal protective equipment:

Skin and body protection: Prolonged and repeated contact with skin should be avoided. Otherwise protective measures should be taken. Soaked clothing and shoes must be changed immediately. Wash skin immediately after work. Do not place dirty or wet rags in pockets.

Respiratory protection: In case of exposure above the permissible concentration limit, wear suitable respiratory equipment.

Hand protection: Protective gloves.



Date: 26.05.2022 **MATERIAL SAFETY DATA SHEET** Edition: According to 1907/2006 (REACH), 2020/878 (EU) 1 Hexol Starlight Lichid de Parbriz de Revision: 2 Page: larnă Concentrat

4 of 7

Eye protection: Chemical goggles.

8.3 Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater. If the product contaminates rivers, lakes or sewers, the competent authorities shall be notified in accordance with the legal provisions in force. If the product has infested the environment, inform immediately the competent authorities

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

y. I mitormation on ousic physical and one	initear properties	
Appearance:	liquid	
Colour:	blue, clear	
Odour:	slightly flagrant	
Odour threshold:	no	
pH	10-12	
Melting point:	-97 °C	
Pour point:	-35 °C	
Boiling point:	64 °C	
Flash point:	455 °C	
Evaporation rate:	no	
Flammability:	no	
Upper flammability limit:	5.5%	
Lower flammability limit:	44%	
Vapour pressure at 20°C:	128 hPa	
Vapour density:	no	
Relative density at 15°C:	0.935-0.950 g/cm ³	
Solubility in water at 20°C:	soluble in water	
n-Octanol/water partition		
coefficient:	not available	
Autoignition temperature:	455 °C	
Decomposition temperature:	not applicable	
Kinematic viscosity at 20°C:	no	
Explosive properties:	no	
Oxidizing properties:	no	
9.2 Other information: no data available		

No data available soluble.

10. Stability and reactivity

- 10.1 Reactivity: Dangerous reactivity not known.
- 10.2 Chemical stability: No decomposition if stored and handled properly.
- 10.3 Possibility of hazardous reactions: Not known.
- 10.4 Conditions to avoid: Direct heat or ignition sources.
- 10.5 Incompatible materials: Keep away from oxidizing agents.
- 10.6 Hazardous decomposition products: Not known.

11. Toxicological information

11.1 Information on toxicological effects Acute toxicity: Oral: LD50 (rats) > 5000 mg/kg

HEXOL LUBE SRL

Π

MATERIAL SAFETY DATA SHEET According to 1907/2006 (REACH), 2020/878 (EU) Hexol Starlight Lichid de Parbriz de Revision: 2

Date: 26.05.2022 Edition: 1 Page. 5 of 7

		larnă Concentrat	Page:	5 of 7		
D	ermal: LD50 (rabbits) > 200	0 mg/kg				
Acute toxicity: irritation						
Skin: slight irritation possible						
Eye: slight irritation possible						
Germ cell mutagenicity: not mutagen						
Carcinogenicity: not known						
Reproductive toxicity: not known						
S	FOT-single exposure: not know	wn				
S	ГОТ-repeated exposure: not kr	nown				
Aspiration hazard: not known.						
12. E	cological information					
12.1	Foxicity					
(Oral: LD_{50} (rats) > 5000	mg/kg (based on components)				
Ι	Dermal: LD50 (rabbits) > 2000	mg/kg (based on components)				
12.2 H	Persistence and degradability:	No data available.				
I	Biodegradability:	No data available.				
12.3 I	Bio accumulative potential:	No data available.				
12.4 N	Mobility					
l	Mobility in soil:	Large spills to soil can contaminate grou	ndwater	•		
ľ	Mobility in water:	No data available.				
12.5 I	Results of PBT and vPvB	Not required.				
	assessment					
12.6 Other adverse effects						
	Not applicable.					
	isposal considerations					
	Waste treatment methods					
13.1.1 Product disposal / Packaging						
Wastes of the product or used oil should be treated as hazardous waste. EWC code: 20 01 29* Disposal must be in compliance with national and local regulations.						
Packaging disposal: Containers with product residue should also be treated as hazardous				nazardous		
		nd local disposal regulations. EWC code:				
13.1.2 Packaging containing residues of, or contaminated by dangerous substances.						
Disposal must be in compliance with national and local regulations.						
13.1.3 Wastewater: Quality of wastewater emitted to natural water must comply with national and				national and		
	local regulations. Sewer disp	osal is forbidden.				
13.1.4	4 Other recommendations:					
	Care should be taken in any c	case to ensure compliance with EC, nation	al and lo	ocal regulations.		
	It is the responsibility of the	user to know all relevant national and loca	ıl regula	tions.		
14. T	ransport information					
14.1.	UN number					
	1230					
14.2. UN proper shipping name						
	ADR					
14.3. Transport hazard class						
	Class 3.					

- - 14.4. Packing Group
 - 14.5. Environmetal hazards Not
 - 14.6. Special precaution for users Caution: Flammable liquids
 - 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. Relevant Romanian regulation and EU directives
 - Directive 94/33 / EC on the protection of young people at work.
 - Directive 92/85 / EEC on the safety and health at work of pregnant women.
 - Regulation (EC) No 1272/2008 [CLP]
 - Law no. 360/2003 on the regime of dangerous chemical substances and mixtures.
 - Law no. 263/2005 for the amendment, completion of Law no. 360/2003 regarding the regime of hazardous chemicals and preparations.
 - -GD 856/2002 On the record of waste management and the approval of the list containing waste, including hazardous waste.
 - GD 188/2002 Approval of some norms regarding the discharge conditions of wastewaters in the aquatic environment
 - GD 352/2005 Modification and completion of GD 188/2002 for the approval of some norms regarding conditions for the discharge of wastewater into the aquatic environment.
 - GD 235/2007 Waste oils management.
- 15.2 Chemical safety assessment.

Not available

16. Other information

The full text of each relevant R-, H- phrase and Hazard classes and cat. in Sections 2 and 3: P405: Store locked up.

- H225: Highly flammable liquid and vapour.
- H301: Toxic if swallowed.
- H311: Toxic in contact with skin.
- H331: Toxic if inhaled.
- H370: Causes damage to organs.
- H373: May cause damage to organs through prolonged or repeated exposure.

The information given in this data sheet is based on our best knowledge at the time of publication. This information is given for information purposes and is intended to assist its safe handling, storage, transport, distribution, proper safe use and disposal and therefore cannot be considered as a quality or guarantee certificate. The information refers only to the specified product and will not be valid when the product is combined with any other products or in any manufacturing process without express specification.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory

HEXOL



MATERIAL SAFETY DATA SHEETDateAccording to 1907/2006 (REACH), 2020/878 (EU)EditionHexol Starlight Lichid de Parbriz de
larnă ConcentratRevisPage

Date:	26.05.2022		
Edition:	1		
Revision:	2		
Page:	7 of 7		

precautions and observe recommendations for safe use of the product.



